TO: Eyonies Lesle Evanisko

FROM: TEO DENGLER

RE: reval # 10/629,070

offere is another copy of the 30 JULY 2004 response as you range requested

> Consultation of the second 21 Sept Of 11 pages in all

REGISTERED PATENT ATTORNEY JOHN JAMES MEQLEW J.D., NY, NJ, DC BARS D.W. DARREN KANG ID, NJ BAR Only

THEOBALD J. DENGLER, FATENT AGENT HILDA S. McGLEW M.D., PATENT AGENT

McGlew and Tuttle, P.C

PATENT, TRADEMARK, COPYRIGHT, AND UNIFAIR COMPETITION CAUSES

Counselors at Law

TEL: (914) 941-5600 FACSIMILE: (914) 941-5855 EMAIL:MandT@mcglewtuttle.com

1 SCARBOROUGH STATION PLAZA SCARBOROUGH, NEW YORK 10510-0827

ATTORNEY DOCKET NO: 71003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

: SEILER et al.

19149415855

Serial No

: 10/629,070

Confirm. No

: 6155

Filed

: July 28, 2003 : CROP MARK...

For Art Unit

: 2859

Examiner

: Leslie J EVANISKO

Dated

: July 30, 2004

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

CERTIFICATE OF FACSIMILE TRANSMISSION

I HEREBY CERTIFY THAT THIS PAPER FOR SERIAL NO. 10/629,070 (10 PAGES IN ALL) IS BEING FACSIMILE TRANSMITTED TO THE PATENT AND TRADEMARK OFFICE FACSIMILE NUMBER (703) 872-9306 ON THE DATE SHOWN BELOW.

Jennifer M. Spinning

NAME OF PERSON SIGNING CERTIFICATION

SIGNATURE

DATED:

July 30, 2004

McGLEW AND TUTTLE, P.C. SCARBOROUGH STATION

SCARBOROUGH, NEW YORK 10510-0827

TELEPHONE: (914) 941-5600 FACSIMILE: (914) 941-5855

NOTE:

IF THERE IS ANY ADDITIONAL FEE DUE PLEASE CHARGE IT TO OUR

DEPOSIT ACCOUNT 13-0410 AND ADVISE US OF ANY CHARGE THAT YOU

MAKE

71003.8

ATTORNEY DOCKET NO: 71003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

: SEILER et al.

Serial No : 10/629,070

Confirm. No: 6155

Filed : July 28, 2003

For

: CROP MARK...

Art Unit

: 2859

Examiner : Lesle J EVANISKO

Dated

: July 30, 2004

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

AMENDMENT IN RESPONSE TO RESTRICTION REQUIREMENT

<u>UNDER 35 U.S.C. § 121</u>

In response to the Restriction Requirement dated June 30, 2004, please amend the above-identified application as follows: